



POLYETHYLENE DAMPCOURSE							
SECTION 1—IDE	ENTIFICATION: PRO	DUCT IDE	NTIFIER AND CHEMICAL IDENTIT	Υ			
Product Identifier			Polyethylene Dampcourse				
Other means of identification			DPC, Dampcourse				
Recommended use of the chemical and				As a polyethylene dampcourse and concealed flashing			
restrictions on use			barrier of impervious mat	_			
			moisture movement to any part of a building requiring				
			protection. It includes a waterproof strip barrier				
			around an opening in a wall or door or at a roof				
			junction.				
Details of the manufacturer or			Resitech Resins Pty Ltd	,			
importer			5 Priority Street WACOL 4076				
			+61 7 3879 4409				
Emergency phone number			+61 402 428 211				
	ZARD(S) IDENTIFICA	ATION					
	. ,		g to the health criteria of Safe	e Work Australia.			
			ous goods by the criteria of th				
	angerous Goods l	_	· ·				
			TION ON INGREDIENTS				
CHEMICAL EN	TITY		CAS NO.	PROPORTION			
Low Density Po	olyethylene (LDPE	)	9002-88-4	98%			
Carbon Black			1333-86-4	2%			
SECTION 4—FIR	RST AID MEASURES	I					
Inhalation	Unlikely due to	ohysical	form of material.				
Skin Contact		cal injury only, wear abrasion resistant gloves during handling and					
	use.						
Eye contact	Risk of mechani	cal injury only, wear safety glasses during handling and use.					
Ingestion		physical form of material. Low order of toxicity. Seek medical					
advice if material is swall							
SECTION 5—FIR	REFIGHTING MEASU	RES					
HAZCHEM Cod	le	Not regulated					
Suitable exting	guishing	If material is involved in a fire us a dry agent such as carbon					
equipment		dioxide extinguisher or dry chemical powder extinguisher.					
Specific Hazards		May add to the intensity of a fire.					
•		May emit fumes if involved in fire.					
		Fire fighters should wear positive pressure self-contained					
		breathing apparatus (SCBA) and protective fire fighting clothing					
firefighters		(including fire fighting helmet, coast, trousers, boots and gloves).					
	CIDENTAL RELEASE						
			Spilled rolls of material are a trip hazard and will roll away.				
- · · · · · · · · · · · · · · · · · · ·		Ensure rolls of material are chocked and restrained to prevent					
		rolling away or unwanted unravelling.					
	Ke		Keep away from sources of ignition and flame.				
		I KCCP C	away irom sources of ignition	and name.			
Environmenta	l precautions		dispose of any offcuts respo				
Environmenta	l precautions	Please		nsibly. Clean offcuts or			
Environmenta  Methods and		Please unuse	dispose of any offcuts respo	nsibly. Clean offcuts or manufacturer for recycling.			
Methods and		Please unuse Place	dispose of any offcuts respo d rolls can be returned to the	nsibly. Clean offcuts or manufacturer for recycling. event smaller pieces from			





Handling	, , , , , , , , , , , , , , , , , , , ,						
gloves and long sleeve shirt and trousers.  Do not burn or expose the material to excessive heat.							
Storage	Store in a cool dry place out of direct sunlight. Store away from sources of heat or						
	•	gnition.					
0 - 0	Secure rolls from toppling or rolling with strapping or chocks.						
	SECTION 8—EXPOSURE CONTROLS AND PERSONA						
			osure standard or limits apply to this material.				
			iological monitoring is required for this material.				
Control Band		No control band is applicable to this material.					
			No engineering controls are applicable to this material.				
					and abrasion resistant gloves.		
	PHYSICAL AND CHEMICA	L PRO	PERTIE	S			
Appearance	9				Roll of black plastic sheet		
Odour					Nil when cold		
рН					Not applicable		
Melting poi	int				>180°C		
Flash point					>240°C		
Flammability Limits					Not applicable		
Specific Gravity					0.94		
Solubility in					Not applicable		
	n Temperature				>300°C		
	—STABILITY AND REACTI	VITY					
Reactivity					to the intensity of a fire.		
Chemical st	ability		This p	product is stable when stored and used as directed.			
<b>Possibility of hazardous reactions</b> No kr				nown hazardous reactions.			
Conditions to avoid Flame				es and sources of ignition.			
Acci		Accui	umulation of electrostatic charge.				
Incompatible materials No da			ata available				
	decomposition produc			emit	fumes if involved in fire.		
SECTION 11-	TOXICOLOGICAL INFOR	MATI	ON				
Acute toxicity				This material has been classified as non-hazardous.			
Skin corrosi	on/irritation			This material has been classified as non-hazardous.			
Serious eye damage/irritation				This material has been classified as non-hazardous.			
Respiratory	or skin sensitisation			This material has been classified as non-hazardous.			
Germ cell m	nutagenicity			This material has been classified as non-hazardous.			
Carcinogeni	icity			Thi	This material has been classified as non-hazardous.		
Reproduction toxicity				Thi	This material has been classified as non-hazardous.		
Specific Target Organ Toxicity (STOT)-single			ingle	Thi	s material has been classified as non-hazardous.		
exposure		-					
Specific Tar	Specific Target Organ Toxicity (STOT)-			Thi	s material has been classified as non-hazardous.		
repeated exposure							
Aspiration hazard				This material has been classified as non-hazardous.			
Possible routes of exposure				Contact with skin during handling or use.			
Early onset symptoms related to exposure			sure	This material has been classified as non-hazardous.			
Delayed health effects from exposure				Thi	s material has been classified as non-hazardous.		
Exposure levels and health effects				Thi	s material has been classified as non-hazardous.		
Interactive (					s material has been classified as non-hazardous.		





Mixtures of chemicals	This material has been classified as non-hazardous.				
Other Information	None.				
SECTION 12—ECOLOGICAL INFORMATION					
Ecotoxicity	Information not available.				
Persistence and degradability	Information not available.				
Bioaccumulative potential	Information not available.				
Mobility in soil	Information not available.				
Other adverse effects	Information not available.				
Section 13—Disposal considerations					
Disposal methods	Product can be fully recycled if returned to				
	manufacturer in a clean and unused state.				
	HDPE is a readily recyclable plastic in Australia				
	and this product should be considered for				
	recycling prior to disposal at landfill.				
SECTION 14—TRANSPORT INFORMATION					
UN number	Not classified as dangerous goods.				
Proper shipping name or technical name	Polyethylene Dampcourse				
Transport hazard class	Not classified as dangerous goods.				
Packing Group	Not classified as dangerous goods.				
<b>Environmental hazards for transport purpos</b>	Not classified as dangerous goods.				
Special precautions for user	Not classified as dangerous goods.				
Additional Information	Not classified as dangerous goods.				
Hazchem or Emergency Action Code.	Not classified as dangerous goods.				
SECTION 15—REGULATORY INFORMATION					
There are no safety, health or environmental regulations for this material.					
SECTION 16—Any other relevant information	DN.				
Date of preparation or review	29/10/2019				